EXAMINERS AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Daniel J. Pereira on 1/27/09.

The application has been amended as follows:

IN THE CLAIMS:

In claim 1, the first paragraph on page 3 of the claims (second page of claim 1), between structures IV and III, the phrase

-with an optically active acid, -

has been replaced with the phrase:

"with (S)-(+)-camphor-10-sulfonic acid,"

In Claim 3: --method according to claim 2-- has been changed to: "method according to claim 1"

In Claim 4: --method according to claim 2-- has been changed to: "method according to claim 1"

In Claim 7: --method according to claim 2-- has been changed to: "method according to claim 1"

Claim 2 has been canceled.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yevgeny Valenrod whose telephone number is 571-272-9049. The examiner can normally be reached on 8:30am-5:00pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Sullivan can be reached on 571-272-0779. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/523,927 Page 4

Art Unit: 1621

/Yevgeny Valenrod/

Yevgeny Valenrod
Patent Examiner
Technology Center 1600

/Paul A. Zucker/ Primary Examiner, Art Unit 1621